






e nux

MODULAR CABINET WITH MULTIPLE DOORS

FEATURES

- 1 Assembly achievable on the basis of the customer's specification, through the use of ETA standard components and accessories.
- 2 Standard ETA roof, bottom, rear panel and structural uprights.
- 3 Possibility to mount adjacent inner cubicles.
- 4 An independent cable entry for each column, thanks to the rails screwed on the bottom.
- 5 An innovative and simple interlocking mounting system of the cubicles.
- 6 Universal bracket for the fixing of vertical uprights with the possibility to be mounted in an halfway position or at the top.
- 7 Top and bottom panels for the passage of busbars and screwed panel for the passage of cables and terminals.
- 8 Cabinet available in both flat-pack and, on request, in assembled version.





E NUX MULTIPLE DOOR STRUCTURE

CHARACTERISTICS

- structure and bottom without cable entry rail manufactured from high-strength low-alloy sheet steel
- removable roof manufactured from sheet steel
- rear panel manufactured from sheet steel with folded sides.

SUPPLY

Includes roof, bottom, 2 structural uprights and a rear panel complete with 2 structural uprights. Available assembled or in flat-pack version.

PAINT FINISH

- ETA standard epoxy polyester powder coating.
- structure: colour RAL 7035 smooth finish
 - rear panel: colour RAL 7035 textured finish
 - roof: colour RAL 5020 textured finish.

For different dimensions, please contact the ETA sales office.

ROOF AND BOTTOM		
EUTF CODE	DIMENSIONS	
	WIDTH	DEPTH
EUTF140040M	1400	400
EUTF140050M	1400	500
EUTF140060M	1400	600
EUTF140080M	1400	800
EUTF160040M	1600	400
EUTF160050M	1600	500
EUTF160060M	1600	600
EUTF160080M	1600	800

REAR PANEL		
EURE CODE	DIMENSIONS	
	WIDTH	HEIGHT
EURE140180	1400	1800
EURE140200	1400	2000
EURE140220	1400	2200
EURE160180	1600	1800
EURE160200	1600	2000
EURE160220	1600	2200

STRUCTURAL UPRIGHTS	
EUMT CODE	HEIGHT
	EUMT001800
EUMT002000	2000
EUMT002200	2200

Note: assembled version available on request.



SIDE PANELS EUFI - M

CHARACTERISTICS

Manufactured from sheet steel with folded sides.

SUPPLY

2 pieces with mounting accessories.

PAINT FINISH

ETA standard epoxy polyester powder coating.
Colour: RAL 7035 textured finish.

SIDE PANELS		
EUFI CODE	WIDTH	HEIGHT
	EUFI040180M	400
EUFI040200M	400	2000
EUFI040220M	400	2200
EUFI050180M	500	1800
EUFI050200M	500	2000
EUFI050220M	500	2200
EUFI060180M	600	1800
EUFI060200M	600	2000
EUFI060220M	600	2200
EUFI080180M	800	1800
EUFI080200M	800	2000
EUFI080220M	800	2200

MODULAR DIVIDING UPRIGHT EUMD

CHARACTERISTICS

Manufactured from sheet steel.

SUPPLY


Includes 1 piece with mounting screws.

PAINT FINISH

Colour: RAL 7035 smooth finish.

Note: to be ordered separately the EUTG cable entry division rail, unless the upright is positioned at 200 mm with modular panel EUAV W=200 mm: in this case it is necessary the EUTG-L rail.

MODULAR DIVIDING UPRIGHT	
EUMD CODE	HEIGHT
EUMD001800	1800
EUMD002000	2000
EUMD002200	2200



Modular

MODULAR BLANK SCREWED PANEL EUAV W=200

CHARACTERISTICS

Manufactured from 1.5 mm thick sheet steel.

SUPPLY


Includes 1 piece with mounting screws.

PAINT FINISH

Colour: RAL 7035 textured finish.

Note: to be ordered separately the cable entry plate EUTM (see page 131) in case that the EUAV panel is in a central position.

MODULAR BLANK SCREWED PANEL		
EUAV CODE	WIDTH	HEIGHT
EUAV020180	200	1800
EUAV020200	200	2000
EUAV020220	200	2200



MODULAR BLANK SCREWED PANEL EUAV

CHARACTERISTICS

Manufactured from 1.5 mm thick sheet steel.


SUPPLY

Includes 1 piece with mounting screws.

PAINT FINISH

Colour: RAL 7035 textured finish.

MODULAR BLANK SCREWED PANEL		
EUAV CODE	WIDTH	HEIGHT
EUAV040015	400	150
EUAV040020	400	200
EUAV040025	400	250
EUAV040030	400	300
EUAV040040	400	400
EUAV060015	600	150
EUAV060020	600	200
EUAV060025	600	250
EUAV060030	600	300
EUAV060040	600	400
EUAV080020	800	200
EUAV080030	800	300
EUAV080040	800	400



TOP/BOTTOM PANEL WTCS

CHARACTERISTICS


Manufactured from 1.5 mm thick sheet steel.

SUPPLY

Includes 1 piece with screws and mounting accessories.

PAINT FINISH

Colour: RAL 7035 textured finish.



TOP/BOTTOM PANEL

WTCS CODE	WIDTH	HEIGHT
WTCS040100	400	100
WTCS040300	400	300
WTCS060100	600	100
WTCS060300	600	300
WTCS080100	800	100
WTCS080300	800	300

MODULAR HORIZONTAL RAIL EUISO

It is necessary to fix the EUAV panel or the EUPD door.

CHARACTERISTICS



Manufactured from 1.5 mm thick sendzimir sheet steel.

SUPPLY

Includes 1 piece with screws, mounting accessories, locking blocks and hinges (to fix the door EUPD).

MODULAR HORIZONTAL RAIL

EUISO CODE	WIDTH	FIXING
EUISO-000400B	400	PANEL EUAV
EUISO-000600B	600	PANEL EUAV
EUISO-000800B	800	PANEL EUAV
EUISO-000400C	400	DOOR EUPD
EUISO-000600C	600	DOOR EUPD
EUISO-000800C	800	DOOR EUPD



MODULAR BLANK DOOR EUPD

CHARACTERISTICS


Manufactured from 1.5 mm thick sheet steel.

SUPPLY

Includes 1 piece with screws and mounting accessories.

PAINT FINISH

Colour: RAL 7035 textured finish.



MODULAR BLANK DOOR

EUPD CODE	WIDTH	HEIGHT
EUPD040015	400	150
EUPD040020	400	200
EUPD040025	400	250
EUPD040030	400	300
EUPD040040	400	400
EUPD040050	400	500
EUPD040060	400	600
EUPD040120	400	1200
EUPD040140	400	1400
EUPD040160	400	1600
EUPD040180	400	1800
EUPD040200	400	2000
EUPD060015	600	150
EUPD060020	600	200
EUPD060025	600	250
EUPD060030	600	300
EUPD060040	600	400
EUPD060050	600	500
EUPD060060	600	600
EUPD060080	600	800
EUPD060100	600	1000
EUPD060120	600	1200
EUPD060140	600	1400
EUPD060160	600	1600
EUPD060180	600	1800
EUPD060200	600	2000
EUPD080030	800	300
EUPD080040	800	400
EUPD080060	800	600
EUPD080080	800	800
EUPD080100	800	1000
EUPD080120	800	1200

INNER UPRIGHTS WTPL


CHARACTERISTICS

Manufactured from 1.5 mm thick sendzimir sheet steel.

SUPPLY

Includes 2 pieces with mounting accessories.

INNER UPRIGHTS			
WTPL CODE	CAB. HEIGHT H	FRONT PAN. HEIGHT	
		A	B
WTPL-001600	1800	100	300
WTPL-001600	1800	300	300
WTPL-001800	1800	100	100
WTPL-001800	1800	300	100
WTPL-001800	2000	100	300
WTPL-001800	2000	300	300
WTPL-002000	2000	100	100
WTPL-002000	2000	300	100
WTPL-002000	2200	100	300
WTPL-002000	2200	300	300
WTPL-002200	2200	100	100
WTPL-002200	2200	300	100



Modular

MOUNTING BRACKETS FOR INNER UPRIGHTS EUTL

Fixed along the depth of the cabinet allows the upper fixing of WTPL uprights.


CHARACTERISTICS

Manufactured from 2.0 mm thick sendzimir sheet steel.

SUPPLY

Includes 1 piece with mounting accessories.

MOUNTING BRACKET FOR UPRIGHTS	
EUTL CODE	CUBICLE DEPTH
EUTL-000250	250
EUTL-000350	350



RAIL FOR INNER UPRIGHTS EUTG - L


CHARACTERISTICS

Manufactured from 2.0 mm thick sendzimir sheet steel.

SUPPLY

Includes 2 pieces with mounting accessories.

RAIL FOR INNER UPRIGHTS	
EUTG - L CODE	CABINET DEPTH
EUTG-000400L	400
EUTG-000500L	500
EUTG-000600L	600
EUTG-000800L	800



HORIZONTAL MODULAR DIVIDING PANEL EUDM


CHARACTERISTICS

Manufactured from 1.5 mm thick sendzimir sheet steel.

SUPPLY

Includes 1 piece with mounting accessories.

HORIZ. MODULAR DIVIDING PANEL		
EUDM CODE	WIDTH	DEPTH
EUDM-040025	400	250
EUDM-040035	400	350
EUDM-060025	600	250
EUDM-060035	600	350
EUDM-080025	800	250
EUDM-080035	800	350



CUBICLE EUCM


CHARACTERISTICS

Manufactured from 1.5 mm thick sendzimir sheet steel.

SUPPLY

Includes 1 cubicle with mounting accessories comprising off:

- 1 horizontal plate
- 2 vertical covers
- 1 divided plate.



CUBICLE

EUCM CODE	WIDTH	HEIGHT	DEPTH
EUCM-4001525	400	150	250
EUCM-4001535	400	150	350
EUCM-4002025	400	200	250
EUCM-4002035	400	200	350
EUCM-4002525	400	250	250
EUCM-4002535	400	250	350
EUCM-4003025	400	300	250
EUCM-4003035	400	300	350
EUCM-4004025	400	400	250
EUCM-4004035	400	400	350
EUCM-6001525	600	150	250
EUCM-6001535	600	150	350
EUCM-6002025	600	200	250
EUCM-6002035	600	200	350
EUCM-6002525	600	250	250
EUCM-6002535	600	250	350
EUCM-6003025	600	300	250
EUCM-6003035	600	300	350
EUCM-6004025	600	400	250
EUCM-6004035	600	400	350
EUCM-6006025	600	600	250
EUCM-6006035	600	600	350
EUCM-6008025	600	800	250
EUCM-6008035	600	800	350
EUCM-6010025	600	1000	250
EUCM-6010035	600	1000	350
EUCM-6012025	600	1200	250
EUCM-6012035	600	1200	350
EUCM-8003025	800	300	250
EUCM-8003035	800	300	350
EUCM-8004025	800	400	250
EUCM-8004035	800	400	350
EUCM-8006025	800	600	250
EUCM-8006035	800	600	350
EUCM-8008025	800	800	250
EUCM-8008035	800	800	350
EUCM-8010025	800	1000	250
EUCM-8010035	800	1000	350
EUCM-8012025	800	1200	250
EUCM-8012035	800	1200	350

PLATE ADJUSTER WA

CHARACTERISTICS

Manufactured from 1.5 mm thick sendzimir sheet steel.

SUPPLY

Includes 2 pieces with mounting screws.




PLATE ADJUSTER

WA CODE	CUBICLE DEPTH
WA977	250
WA978	350

Note: when H ≥ 600, order 2 packages.

RAIL FOR CABLE ENTRY DIVISION EUTG

CHARACTERISTICS


Manufactured from sheet steel.

SUPPLY

Includes 1 piece with mounting accessories.

PAINT FINISH

Colour: RAL 7035 smooth finish.



RAIL FOR CABLE ENTRY DIVISION

EUTG CODE	CABINET DEPTH
EUTG000400	400
EUTG000500	500
EUTG000600	600
EUTG000800	800


CABLE ENTRY PLATE EUTM

CHARACTERISTICS

Manufactured from 1.0 mm thick sendzimir sheet steel.

SUPPLY

Includes 1 piece.



CABLE ENTRY PLATE

CODE	CABINET	COLUMN
EUTM	DEPTH	WIDTH
EUTM000400	400	200
EUTM000500	500	200
EUTM000600	600	200
EUTM000800	800	200

Modular

CABLE ENTRY PLATE WTTG

CHARACTERISTICS

Manufactured from 1.0 mm thick sendzimir sheet steel.

SUPPLY

Includes 1 piece with mounting accessories.

CABLE ENTRY PLATE

COLUMN	CABLE ENTRY PLATE TYPE "A"				CABLE ENTRY PLATE TYPE "B"		
	WIDTH	CODE	L1	P	CODE	L1	P
400		WTTG-040050A	220	50	WTTG-040050B	257	50
400		WTTG-040100A	220	100	WTTG-040100B	257	100
600		WTTG-060050A	420	50	WTTG-060050B	457	50
600		WTTG-060100A	420	100	WTTG-060100B	457	100
800		WTTG-080050A	620	50	WTTG-080050B	657	50
800		WTTG-080100A	620	100	WTTG-080100B	657	100

CABLE ENTRY PLATE

CABINET DEPTH	NR. OF CABLE ENTRY PLATE TYPE "A" OR TYPE "B"	
	P=50	P=100
400	2	1
500	2	5
600	2	3
800	2	5

